



Contents of *Aquaculture*, Volume 234

VOL. 234 NOS. 1–4

3 May 2004

Review article

- The measurement of sperm motility and factors affecting sperm quality in cultured fish
E. Rurangwa (Louvain, Belgium), D.E. Kime (Sheffield, UK), F. Ollevier and J.P. Nash (Louvain, Belgium) 1

Diseases

- Purification and biological features of a rickettsia-like prokaryote from the scallop *Argopecten irradians* in China
D. Li (Guangzhou, Haikou, China) and X. Wu (Guangzhou, Hangzhou, China) 29
- Effect of immunization with two commercial vaccines on feed intake, growth, and lysozyme activity in European whitefish (*Coregonus lavaretus* L.)
J. Koskela (Valkola, Finland), R. Rahkonen, M. Pasternack and H. Knuutinen (Helsinki, Finland). . . 41

Genetics

- Evidence for two unlinked "sex reversal" loci in the Nile tilapia, *Oreochromis niloticus*, and for linkage of one of these to the red body colour gene
İ. Karayücel, T. Ezaz, S. Karayücel, B.J. McAndrew and D.J. Penman (Stirling, UK) 51
- Karyological analyses on redclaw crayfish *Cherax quadricarinatus* (Decapoda: Parastacidae)
X. Tan (PR China), J.G. Qin, B. Chen (Adelaide, Australia), L. Chen (Shanghai, PR China) and X. Li (Henley Beach SA, Australia). 65
- Asymmetry of post-F₁ interspecific reproductive barriers among brown trout (*Salmo trutta*) and Atlantic salmon (*Salmo salar*)
E. Garcia-Vazquez, J. Perez, F. Ayllon, J.L. Martinez (Oviedo, Spain), S. Glise and E. Beall (Saint Pée sur Nivelle, France). 77
- Microsatellites within genes and ESTs of common carp and their applicability in silver crucian carp
G.H. Yuc, M.Y. Ho, L. Orban (Singapore, Singapore) and J. Komen (Wageningen, The Netherlands) 85
- Strain and maturation effects on female spawning time in diallel crosses of three strains of rainbow trout (*Oncorhynchus mykiss*)
C.D. Quinton, L.R. McKay and I. McMillan (Guelph, Ontario, Canada). 99
- Inbreeding and inbreeding depression of female reproductive traits in two populations of Coho salmon selected using BLUP predictors of breeding values
J.A. Gallardo, X. García (Santiago, Chile), J.P. Lhorente (Coyhaique, Chile) and R. Neira (Santiago, Chile) 111
- Family, induction methodology and interaction effects on the performance of diploid and triploid chinook salmon (*Oncorhynchus tshawytscha*)
R.M. Johnson, J.M. Shrimpton (Prince George, BC, Canada), J.W. Heath (Campbell River, BC, Canada) and D.D. Heath (Windsor, ON, Canada) 123
- Genetic analysis of female reproduction traits of farmed coho salmon (*Oncorhynchus kisutch*)
G.A.E. Gall (Davis, CA, USA) and R. Neira (Santiago, Chile) 143

Husbandry and Management

- Tainting of farmed fish by geosmin and 2-methyl-iso-borneol: a review of sensory aspects and of uptake/depuration
P. Howgate (West Sussex, UK) 155
- Egg activation in the black tiger shrimp *Penaeus monodon*
P. Pongtippatee-Taweeprada, J. Chavadej (Bangkok, Thailand), P. Plodpai (Nakorn Srithamaraj, Thailand), B. Pratoomchart (Cholburi, Thailand), P. Sobhon, W. Weerachatanukul and B. Withyachumnarnkul (Bangkok, Thailand) 183
- Effects of fish farming waste to sedimentary and particulate organic matter in a southern Mediterranean area (Gulf of Castellammare, Sicily): a multiple stable isotope study ($\delta^{13}\text{C}$ and $\delta^{15}\text{N}$)
G. Sarà, D. Scilipoti, A. Mazzola and A. Modica (Palermo, Italy) 199
- Development of the digestive tract of gilthead sea bream (*Sparus aurata* L.). Light and electron microscopic studies
M.T. Elbal, M.P. García Hernández, M.T. Lozano and B. Agulleiro (Murcia, Spain) 215
- Regulating the local environmental impact of intensive marine fish farming: III. A model for estimation of the holding capacity in the Modelling-Ongrowing fish farm-Monitoring system
A. Stigebrandt (Gothenburg, Sweden), J. Aure, A. Ervik and P.K. Hansen (Bergen, Norway) 239
- Initial weight and its variation in post-larval Eurasian perch affect quantitative characteristics of juvenile cohorts under controlled conditions
I. Babiak (Olsztyn, Poland), S.N.M. Mandiki, K. Ratsinjomana (Namur, Belgium) and P. Kestemont 263
- Seed production and juvenile rearing of the tropical abalone *Haliotis varia* Linnaeus 1758
T.M. Najmudeen and A.C.C. Victor (Cochin, India) 277

Nutrition

- Growth of postlarval sea scallops, *Placopecten magellanicus*, on microalgal diets, with emphasis on the nutritional role of lipids and fatty acids
L.M. Milke, V.M. Bricelj (Halifax, Nova Scotia, Canada) and C.C. Parrish (St. John's, Newfoundland, Canada) 293
- Solubility and peptide profile affect the utilization of dietary protein by common carp (*Cyprinus carpio*) during early larval stages
A.P. Carvalho, R. Sá, A. Oliva-Teles (Porto, Portugal) and P. Bergot (Saint-Pée-sur-Nivelle, France) 319
- Diversity and seasonal changes in lactic acid bacteria in the intestinal tract of cultured freshwater fish
T. Hagi, D. Tanaka, Y. Iwamura and T. Hoshino (Ibaraki, Japan) 335
- Contribution of prey proteinases and carbohydrases in fish digestion
V.V. Kuz'mina and I.L. Golovanova (Yaroslavl, Russia) 347
- Antioxidant status and nonspecific immune responses in rainbow trout (*Oncorhynchus mykiss*) fed two levels of vitamin E along with three lipid sources
V. Kiron, J. Puangkaew, K. Ishizaka, S. Satoh and T. Watanabe (Tokyo, Japan) 361
- Effect of dietary protein level on the reproductive performance of female swordtails *Xiphophorus helleri* (Poeciliidae)
A.S.C. Chong, S.D. Ishak, Z. Osman and R. Hashim (Penang, Malaysia) 381
- Growth, nitrogen and energy utilization of juveniles from four salmonid species: diet, species and size effects
P.A. Azevedo, S. Leeson, C.Y. Cho and D.P. Bureau (Guelph, Ontario, Canada) 393
- Influence of dietary live yeast on European sea bass (*Dicentrarchus labrax*) larval development
D. Tovar-Ramírez (La Paz, Mexico; Plouzane, France), J. Zambonino Infante, C. Cahu, F.J. Gatesoupe (Plouzane, France) and R. Vázquez-Juárez (La Paz, Mexico) 415
- Amino acid pools of rotifers and *Artemia* under different conditions: nutritional implications for fish larvae
C. Aragão, L.E.C. Conceição, M.T. Dinis (Faro, Portugal) and H.-J. Fyhn (Bergen, Norway) 429

Physiology and Endocrinology

- Evaluation of the potency of azagly-nafarelin (GnRH analogue), administered in combination with different formulations of pimozone, on LH secretion, ovulation and egg quality in common carp (*Cyprinus carpio* L.) under laboratory, commercial hatchery and natural conditions
T. Mikolajczyk, J. Chyb, P. Szczerbik, M. Sokolowska-Mikolajczyk, P. Epler (Cracow-Mydlniki, Poland), W.J. Enright (Boxmeer, The Netherlands), M. Filipiak (Kamionka, Poland) and B. Breton (Rennes, France) 447
- The influence of temperature on sex determination in sockeye salmon *Oncorhynchus nerka*
T. Azuma (Nikko, Japan), K. Takeda, T. Doi (Yuzukami, Japan), K. Muto (Nikko, Japan), M. Akutsu, M. Sawada (Yuzukami, Japan) and S. Adachi (Hokkaido, Japan) 461
- The effect of light intensity on the growth of Chinese shrimp *Fenneropenaeus chinensis*
F. Wang, S. Dong, S. Dong, G. Huang, C. Zhu and Y. Mu (Qingdao, PR China) 475
- Effects of Na/K ratio in seawater on growth and energy budget of juvenile *Litopenaeus vannamei*
C. Zhu, S. Dong, F. Wang and G. Huang (Qingdao, People's Republic of China) 485
- Survival, Na⁺/K⁺-ATPase and lipid responses to salinity challenge in fed and starved white pacific shrimp (*Litopenaeus vannamei*) postlarvae
E. Palacios, A. Bonilla, D. Luna and I.S. Racotta (Baja California Sur, Mexico) 497
- Development of endocrine system regulating exocrine pancreas and estimation of feeding and digestive ability in Japanese eel larvae
T. Kurokawa (Nansei, Japan), N. Inuma (Kamihama, Japan), T. Unuma, H. Tanaka, H. Kagawa, H. Ohta and T. Suzuki (Nansei, Japan) 513
- Cryogenic and refrigerated storage of Atlantic cod (*Gadus morhua*) and haddock (*Melanogrammus aeglefinus*) spermatozoa
J.D. DeGraaf and D.L. Berlinsky (Durham, NH, USA) 527
- Immunological competence of eastern oysters, *Crassostrea virginica*, fed different microalgal diets and challenged with a temperature elevation
H. Hégaret, G.H. Wikfors (Milford, CT, USA), P. Soudant, M. Delaporte (Plouzané, France), J.H. Alix, B.C. Smith, M.S. Dixon (Milford, CT, USA), C. Quére, J.R. Le Coz (Brest, France), C. Paillard (Plouzané, France), J. Moal and J.-F. Samain (Brest, France) 541
- Production of monosex male black crappie, *Pomoxis nigromaculatus*, populations by multiple androgen immersion
T. Arslan and R.P. Phelps (Auburn, AL, USA) 561
- Temperature and pH characteristics of amylase and proteinase of adult freshwater pearl mussel, *Hyriopsis* (*Hyriopsis*) *biatus* Simpson 1900
M. Areekijseeree (Silpakorn, Thailand), A. Engkagul (Bangkok, Thailand), U. Kovitvadhi, A. Thongpan, M. Mingmuang, P. Pakkong (Silpakorn, Thailand) and K. Rungruangsak-Torissen (Matredal, Norway) 575
- Effect of body size on growth and food conversion of juvenile striped bass reared at 16–28 °C in freshwater and seawater
J. Duston, T. Astatkie and P.F. MacIsaac (Nova Scotia, Canada) 589
- Growth, survival, haemolymph osmolality and organosomatic indices of the western king prawn (*Penaeus latisulcatus* Kishinouye, 1896) reared at different salinities
H. Minh Sang and R. Fotedar (Bentley, Western Australia) 601
- Gonadal maturation in captivity and hormone-induced spawning of the Pacific red snapper *Lutjanus peru*
S. Dumas, M.O. Rosales-Velázquez, M. Contreras-Olguin, D. Hernández-Ceballos and N. Silverberg (La Paz, Mexico) 615
- Spawning and egg quality of the tilapia *Oreochromis niloticus* fed solely on raw *Spirulina* throughout three generations
J. Lu and T. Takeuchi (Tokyo, Japan) 625
- Effects of maternal injection of 3,5,3'-triiodo-L-thyronine (T₃) on growth of newborn offspring of rockfish, *Sebastes schlegelii*
D.-Y. Kang (Incheon, South Korea) and Y.J. Chang (Busan, South Korea) 641

Short communication

Effect of feeding frequency on gastric evacuation and the return of appetite in tilapia *Oreochromis niloticus* (L.)

M. Riche, D.I. Haley, M. Oetker, S. Garbrecht and D.L. Garling (East Lansing, MI, USA). 657

Contents of Aquaculture, Volume 234 675

7

5